



# NOTICE OF REVIEW APDES Preliminary Draft Permit

Alaska Department of Environmental Conservation (DEC)  
Wastewater Discharge Authorization Program  
555 Cordova Street  
Anchorage, Alaska 99501

## NOTICE OF REVIEW OF AN ALASKA POLLUTANT DISCHARGE ELIMINATION SYSTEM (APDES) PRELIMINARY DRAFT PERMIT TO DISCHARGE TO WATERS OF THE UNITED STATES

ADEC has prepared an APDES preliminary draft permit for Juneau-Douglas Wastewater Treatment Facility. The Preliminary Draft Permit and associated documents are available to the applicant for a 10-day review. Following the close of the 10-day applicant review period, DEC will prepare a draft permit and fact sheet for a formal 30-day public review period. Public comments will be accepted during the formal 30-day review period. You can access the documents on DEC's Wastewater Discharge Authorization Program webpage at:

<http://www.dec.state.ak.us/water/wwdp/index.htm>

**DEC Contact:**

Marie Klingman  
610 University Avenue  
Fairbanks, AK 99709  
(907) 451-2101  
[marie.klingman@alaska.gov](mailto:marie.klingman@alaska.gov)

**Preliminary Draft Permit Review:**

**Start Date:** October 30, 2014  
**End Date:** November 13, 2014

**Permit No.:**

AK0023213

**Applicant:**

City and Borough of Juneau  
5433 Shaune Drive  
Juneau, Alaska 99801

**Proposed Project and Location:**

The discharge of secondary treated domestic wastewater from the Juneau Douglas Wastewater Treatment Facility located at 58°17' 2" North and 134° 23' 13" West will occur an average monthly rate of 2.76 million gallons per day to Gastineau Channel. A mixing zone is proposed for ammonia, copper, dissolved oxygen, fecal coliform bacteria, and whole effluent toxicity.

**Administrative Record:**

The APDES preliminary draft permit, fact sheet, and associated documents are available for public review at the ADEC offices located in Anchorage, Fairbanks, Juneau, Soldotna, and Wasilla. Please contact the office of your choice to arrange for hard copies of the documents to be available for your review.

555 Cordova Street  
Anchorage, AK 99501  
907-269-6285

610 University Avenue  
Fairbanks, AK 99709  
907-451-2100

410 Willoughby Ave #303  
Juneau, AK 99811  
907-465-5300

43335 Kalifornsky Beach Road  
Soldotna, AK 99615  
907-262-5210

1700 E Bogard Road #B  
Suite #103  
Wasilla, AK 99654  
907-376-1850

If you would like to see any additional supporting technical documents, contact the DEC contact listed above.

The documents are also accessible from the DEC website at:

<http://www.dec.state.ak.us/water/wwdp/index.htm>

To receive email notifications about the APDES Program, including when permits are available to review, follow the link below to join the APDES email list.

[http://dec.alaska.gov/water/npdes/npdes\\_email\\_list.htm](http://dec.alaska.gov/water/npdes/npdes_email_list.htm)

**Disability Reasonable Accommodation Notice**

The State of Alaska, Department of Environmental Conservation complies with Title II of the Americans with Disabilities Act of 1990. If you are a person with a disability who may need a special accommodation in order to participate in this review, please contact Deborah Pock at (907) 269-0291 or TDD Relay Service 1-800-770-8973/TTY or dial 711 within 10 days of publication of this notice to ensure that any necessary accommodations can be provided.